The landscape for bed-based intermediate care in Scotland.





Acknowledgements

RCN Scotland would like to acknowledge and thank the following people:

• Alice Gentle, Policy Of Vcer at RCN Scotland, who led on the research and

Introduction

Interest is increasing in Scotland in intermediate care as a way to deliver better outcomes for people while reducing pressure on acute hospital beds. Intermediate care services can be used to help people return home without delay or stay at home where hospitalisation is not necessary.¹ There are already a number of di erent models of intermediate care operating in Scotland.

signiÙcant role to play in the delivery

Bed-based intermediate care in Scotland

The Scottish Government's vision

There are no Scottish clinical

published in September 2017.7

Bed-based intermediate care

While intermediate care aims to keep people at home, there are times when a person's level of need means they require intermediate care in a setting other than home.



· Seven had step-up beds in community

Bed-based intermediate care and reducing delayed discharge

Delayed discharge is a significant problem for Scottish Government, integration authorities, health boards, ²⁹ and for the general public. The Scottish Government has made clear that it sees intermediate care beds as a key part of the solution.

"Intermediate care should be focused on delivering the outcomes which meet people's individual needs and preferences and only be used when it is clinically the best setting for the person's care."

people, with approximately 70% of people who are delayed aged 75 or over.

RCN Scotland has heard from members

"While there are examples of good practice, implementation is piecemeal and sometimes without clear agreement on the scope and purpose of the services."

than Ùve years after JIT published
Scotland about the implementation of
RCN Scotland has heard of instances
services. These include: limited Ùnances
meant that the Scottish Government®
Financial limitations
In a recent RCN Scotland report, nurses

www.rcn.org.uk/scotland

facilities for intermediate care use. Some
RCN Scotland has heard concerns from stakeholders that some NHS facilities are
report, many NHS assets require
recorded as ÏsigniÙcant and high riskĐ
hospitals there are in Scotland, with different Ùgures provided by ISD, the Scottish Association of Community Hospitals and RCN Scotland® web
across Scotland.
Some areas are mostly serviced by small

levels and health and social care of Ùcials
capacity to develop Ùt-for-purpose bed-
Medical cover for intermediate care beds Other problems faced by Scotland®
of Ucer for each service user.
Several stakeholders have reported to RCN Scotland concern about the acute
Most concerning, pressures on general
having difÙculty in arranging medical
signiÙcant role as the senior clinical
Variable contractual processes

Some integration authorities have identiÙed training of intermediate

What needs to be in place to deliver intermediate care beds in an integrated and planned way?

undertaken in Scotland (particularly

implementation on the ground. Many

	There is a speciÙc need for a national
It would also be helpful for HIS, in	
	HIS work to embed this in practice. A
intermediate care could be better de Uned	
	Scotland is currently the only UK nation

References

- Joint Improvement Team. 2012. Maximising recovery, promoting independence: An intermediate care framework for Scotland. Edinburgh: Scottish Government
- 2 Integration Planning and Delivery Principles in Public Bodies (Joint Working) (Scotland) Act 2014
- 3 Morton et al. 2007, cited UK National Audit Office. 2016. Discharging older patients from hospital. London: National Audit Office. https:// www.nao.org.uk/wp-content/uploads/2015/12/ Discharging-older-patients-from-hospital.pdf
- 4 Information Services Division. 2016. Annual summary of occupied bed days and census figures Figures up to March 2016. Edinburgh: National Services Scotland
- 5 Joint Improvement Team. 2012
- 6 Ibid
- 7 National Institute for Health and Care Excellence. 2017. Intermediate care including reablement (In development). London. https:// www.nice.org.uk/guidance/indevelopment/gidscwave0709
- 8 Joint Improvement Team. 2012
- 9 Nuffield Trust. 2017. Shifting the balance of care: Great expectations. London
- 10 Griffiths P, Edwards M, Forbes A, Harris R, Ritchie G. Effectiveness of intermediate care in nursing-led in-patient units. Cochrane Database of Systematic Reviews, 2007, Issue 2
- Garåsen H, Windspoll R, and Johnsen R. 2007. Intermediate care at a community hospital as an alternative to prolonged general hospital care for elderly patients: a randomised controlled trial. BMC Public Health
- 12 Kåre Herfjord J, Heggestad T, Ersland H, and Hylen Ranhoff A. 2014. Intermediate care in nursing home after hospital admission: a randomized controlled trial with one year followup. BMC Res Notes
- Hussenbux A, Morrissey D, Joseph C, and McClellan CM. 2015. Intermediate care pathways for musculoskeletal conditions - Are they working? A systematic review. Physiotherapy (United Kingdom). Vol 101, no 1
- 14 Edwards N. 2017. Briefing: What's behind delayed transfers of care? London: Nuffield Trust
- 15 Griffiths et al. 2007
- 16 Nuffield Trust. 2017.
- 17 Rout et al. 2011. A literature review of interprofessional working and intermediate care in the UK. Journal of Clinical Nursing. Vol 20, no 5-6
- 18 Ariss et al. 2015. Secondary analysis and literature review of community rehabilitation and intermediate care: an information resource. Health Services and Delivery Research, 2015, January
- 19 NHS Benchmarking Network. 2015. National Audit of Intermediate Care. London: NHS England
- 20 Healthcare Improvement Scotland: http://ihub.scot/a-z-programmes/lwic-intermediate-care-
- 21 Scottish Government. Media release: 1 Apr 2015.

- Health and social care integration takes step forward
- 22 Shona Robison. Scottish Parliament, Official Report. 14 January 2015
- 23 Shona Robison. Scottish Parliament, Health and Sport Cnrt C ds30 (1)-30.1 (li)7.9 (a)26.9 (l)1 (l c)-30.5 (a)-23.9 (r)-26.4 (e)-23.8 Tc -0.0 (t C)-27.0 (c) -27.0 (

Sp1 f23

f23

