
Í GUa Y same cf'X]ZYf Ybl8Î 'A review of reviews of person-centered and patient-centered care

Jakob Håkansson Eklund ^a **Inger K. Holmström** ^{a, b} Tomas Kumlin ^a Elenor Kaminsky ^b Karin Skoglund ^a Jessica Höglander ^a Annelie J. Sundler ^c Emelie Condén ^{b, d} Martina Summer Meranius^a

^a Mälardalen University, Sweden
^b Uppsala University, Sweden
^c University of Borås, Sweden
^d Västmanland hospital, Sweden








Mälardalen University, Sweden

- -Nurse anaestethist (60 ETCS)
- -Intensive care nursing (60 ETCS)
- -Public health nursing (75 ETCS)
- -Psychiatric nursing (60 ETCS)
- -Midwifery (90 ETCS)





Different types of centredness have been launched in healthcare such as family-, patient- and personcentred care (Coyne et al. 2018)

They seem to share a common goal: to put the person in need of care in the foreground, rather than the healthcare professionals and biomedical aspects only

Patient- and person-centred care seems hence at a first glance to be similar, or is there a difference?

The



The aim was to provide a synthesis of already synthesized literature on person-centered care and patient-centered care in order to identify similarities and differences between the two concepts



- - published January 2000ËMarch 2017
- 2. Cinahl, Cochrane, Medline, PsycInfo, Scopus, Web of Science
- **3.** We found 524 articles, which were screened
- 4. We selected articles generating a novel result about the concept
- 5. 21 articles included (10 person-centered, 11 patient-centered)



A thematic analysis according to Braun and Clarke (2006) Codes, sub-themes and themes were identified by the nine authors from the result section in the

- 10 articles about person-centered care
- 11 articles about patient-centered



Theme	Sub-themes
Empathy	C* is compassionate C gives emotional support C understands P**
Respect	C respects beliefs C respects values C supports dignity
Engagement	C allocates time C is present C is committed
Relationship	C builds partnership Mutual trust between C and P Therapeutic relationship
Communication	Communication between C and P C and P exchange information
Shared decision-making	Empowerment Autonomy P is involved in treatment
Holistic focus	Biopsychosocial perspective Nonmedical issues relevant The context has an impact
Individualized focus	


*C = carer


**P = person or patient






















This paper was published in *Patient Education and Counseling* 2019 Jan;102(1):3-11.