

The effect of the work system on nursing staff capacity for relational care with people with dementia

Emily Oliver, RMN, PhD
Consultant Admiral Nurse – Dementia UK
Clinical Academic Doctoral Fellow – University of Southampton
@emilyoliverdem
Emily.oliver@dementiauk.org


Professor Jackie Bridges
Professor Ruth Bartlett

Background


- 1 in 4 hospital beds (WHO 2014)
- Relational care is seen as “gold standard” for people with Dementia (Nolan 2007)
- Ongoing failures in care provision despite policy and research (Bridges 2010, Hall and Maslow 2008, Lakey 2009, Francis 2010, Maben, Adams et al. 2012, Featherstone 2019)
- Ward contextual factors are thought to have greatest impact but not explored in detail particularly on medicine for older persons wards (Cowdell 2010, Clissett, Porock et al. 2013, Dahlke, Phinney et al. 2015, Baumbusch, Leblanc et al. 2016, Featherstone 2019)

FUNDED BY

NILP | National Institute




Methodology



Systems Engineering Initiative

FUNDED BY

NIIP | National Institute





Results



FUNDED BY

NIHD | National Institute for Health Research



Effect on patient care

- Patients are expected to fit into a routine

"The patient requests to go to the toilet, she looks at the clock, sighs and reluctantly goes to get the commode. She comes back with the commode and pulls the curtain around him and leaves"

- Interactions only occurred when tasks occurred

"Staff continue to walk outside of the bay and look into ensure that the patients are ok but once they know that they are they leave. There is no interaction if there is no apparent need from patients."

- Allocated Interaction Time

She replied "during mealtimes or when washing them you get the longest time to talk" ...she allocated certain time for tasks, stating it's about "5 minutes to change a pad" but "20 minutes

- Unmet Needs

" You know, if someone says to me "Why – why were your Obs due, and why haven't you done any of your IVs" and you say " Well this person was really upset, and I spent the morning comforting her", it's not going to

" Because you can't spend all morning with one person... because you have to make sure that everyone is clean and safe 'cos you might get pressure ulcer if they're sat in one position for too long"




FUNDED BY

NILIP | National Institute



"Everything fitting into a time. The medications have to be done at this round; washes have to be done"


"One of the nurses comes into



"I do my drug round but I usually get interrupt usually requests for the toilet; - confused patients asking you questions, the same questions over and over again, about wanting to go home"



Emotional Demand



FUNDED BY

NIPD | National Institute



Team dynamics





FUNDED BY

NIPD | National Institute



Implication for practice

- Relational care needs to be an organisational priority for MOP
- National/organisational benchmarks for relational care
- Nursing teams need more clarity in their job roles
- Nursing teams need more emotional support
- Nursing staff need more autonomy in their role
- Nursing staff need more flexibility in their work

FUNDED BY

NIPD | National Institute

Thank you



Oliver E, Work system influences on nursing staff capacity for relational dementia care on medicine for older people wards: An e

References

- Bridges, J., Flatley, M. and Meyer, J., 2010. Older people's and relatives' experiences in acute care settings: Systematic review and synthesis of qualitative studies. *Journal of Clinical Pharmacy and Therapeutics*, 35(1), pp.89-107.
- Dewar, B. and Mackay, R., 2010. Appreciating and developing compassionate care in an acute hospital setting caring for older people. *Journal of Clinical Pharmacy and Therapeutics*, 35(4), pp.299-308.
- Nolan, M.R., Brown, J., Davies, S., Nolan, J. and Keady, J., 2006. The Senses Framework: improving care for older people through a relationship-centred approach. Getting Research into Practice (GRiP) Report No 2.
- World Health Organisation (2012). "Dementia: A public health priority." Geneva: World Health Organisation and Alzheimer's Disease International.

