Contents

Forewords

8.3 Safe fluid management/hydration 85

8.4 Safely administering pharmacological treatments and side-effects 91

8.5 Safely managing hydroxycarbamide therapy (NEW) 100

8.6 Safely managing iron overload, including chelation therapy (NEW)..... 106

9 Uses early-warning tools/approaches (for example, red alert) to identify the patient's changing and deteriorating condition, and takes appropriate action 112

10 Actively improves and promotes services across the care pathway 118

11 Transition – early planning and preparation (NEW) 127

Forewords

The second edition of the Sickle Cell and Thalassaemia Competency Framework is welcomed at this pivotal time, when there is a significant spotlight and focus on the nursing workforce. The ability to provide robust, consistent, equitable and effective care to patients remains important. This updated framework is crucial for patients with sickle cell and thalassaemia disorders, as there remains a significant gap in awareness, understanding, knowledge and treatment of the conditions throughout the United Kingdom.

The competency framework describes the practical and theoretical skills that are required across the nursing workforce to ensure that quality, evidence-based care is provided. This type of care makes a real difference to reducing health inequalities and improving the health outcomes for people living with red blood cell disorders, which are termed haemoglobinopathies.

Gill Coverdale, RCN UK Head of Education

Thalassaemia and sickle cell syndromes are a group of complex lifelong conditions. Nursing staff who work with patients with these conditions require not only specialist knowledge but also empathy.

The lack of adequate sickle cell treatment and support was starkly highlighted in the inquiry by the All Party Parliamentary Group on Sickle Cell and Thalassaemia (SCTAPPG) into avoidable sickle cell deaths. The inquiry's report, No One's Listening , found failures in hospital care and identified suboptimal management of painful sickle cell episodes by the NHS as a particular concern.

This updated second edition of the competency framework reflects increasing recognition of the need to rapidly improve the experience of people living with sickle cell disease and thalassaemia syndromes, whether they are cared for in hospital or in the community.

We are delighted to see the inclusion of new chapters on managing iron chelation therapy and emphasis on early transitioning from paediatric to adult settings. Both are crucial in the management of thalassaemia.

We would like to say a big thank you to the authors and contributors for their dedication and hard work in updating this framework. It will be an invaluable asset in improving the quality of care and experience of our sickle cell and thalassaemia community.

We commend the 2024 RCN competency framework to all nurses and health care professionals supporting people living with sickle cell and thalassaemia disorders and their families.

Romaine Maharaj, Executive Director, UK Thalassaemia Society.

John James OBE, Chief Executive, Sickle Cell Society.

1. Summary

This Royal College of Nursing (RCN) competency framework for nursing staff who care for patients with sickle cell and thalassaemia syndromes has been updated to create a national framework that reflects modern-day, evidence-based care. It builds on the previous edition and defines the standards of care expected for all nurses working within the field of haemoglobinopathies. This updated version will allow for advancements in knowledge and professional development throughout a nurse's career.

This updated version will also introduce and encompass the RCN Levels of Nursing: Enhanced, Advanced and Consultant nurse .

2. Introduction

The RCN competency framework aims to ensure excellence in nursing practice and the upholding of equality and diversity, so that care and services are accessible to all. There is a need for greater understanding of sickle cell and thalassaemia conditions in clinical nursing practice, and for development of safe, effective and appropriate nursing care. Experts from the Sickle Cell Society (SCS) and UK Thalassaemia Society (UKTS), together with members of the RCN Haematology Forum, have created competencies that can be used in clinical practice to enhance patient care. It is important to improve the quality and safety of care, in order to ensure positive patient outcomes.

Sickle cell and thalassaemia genes are inherited disorders of the haemoglobin. They mainly, but not exclusively, affect people of African, Asian, Caribbean, Mediterranean and Middle Eastern origin. An individual with a major condition has inherited a defective gene from both parents, resulting in a chronic lifelong condition where significant health issues may emerge. Long-term regular treatment is therefore required. Both sickle cell and thalassaemia conditions are associated with increased morbidity and mortality.

Iiy [(S)18(.)]Ttefo9 (o)-(n)-soh64 (a)12.6 (i)4.4 (a)12.6 1 (a)10.5 ((o)-2.)4.7 (i)12 thifelickl4 (i)9.]TJ 0 -1.2 Td [(t)99 (r)-10.9 (o)7.2.9 (n)-5. (r)-3 (i)12.6 (a (, r)-1.2 (e)-1.6 (s)-2.3 (u)2)]Tteanl and

3. Background

The first edition of this competency framework provided clear guidance on the skills and competencies required by nursing staff caring for people with sickle cell disease and thalassaemia. This second edition also incorporates the expertise of UK nurse experts,

4. Framework structure and definitions

There are key distinctions between the levels of competence of nurses working in this field. The previous framework has been updated and the guidance will use the RCN Levels of Nursing that provide a framework for nursing beyond the level of a registered nurse to describe enhanced, advanced and consultant nursing

Nurses develop skills and understanding of patient care over time, through both a formal educational background and work experience. The levels of nursing recognise clinical knowledge and skill, rather than banding.

The framework has three sections:

1. Level of achievement required : Describes the level of competencies .
2. Knowledge and understanding : Describes the required knowledge and understanding of research and the underlying evidence base for safe and effective practice.
3. Knows how to : Describes how nursing staff will apply what they have learned to their practice.

These three sections are key to successful achievement of the competencies .

7. Guide for evidence of achievement

BACK TO CONTENTS

8. References

The evidence base for each competency has been sourced individually. All references can be found in the list on pages 137-143 .

9. RCN equality impact assessment

The equality impact assessment has been completed and acknowledged with the RCN.

Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides empathy and understanding and works with the patient (and their family/carers) as an expert in their own condition.			L	Date	Sig	
Domain: Enhanced						
1:2:1	Discusses care and treatment options. Forms partnership with the patient to reach joint and informed decisions					
1:2:2	Encourages feedback from the patient					
1:2:3	Co-develops, implements and evaluates personal care plans, treating the patient as an individual					
Knowledge and understanding of:						
1:2:4	Treatments/care options and their risks and benefits					
1:2:5	Local/national protocols, standards and guidelines					
1:2:6	Principles of the “expert patient” philosophy					
1						

BACK TO CONTENTS

Knows how to:						
1:2:8	Be responsive to patient feedback and address concerns appropriately					
1:2:9	Build and foster an equitable nurse-client relationship					
1:2:10	Develop care plans in conjunction with local guidelines					
1:2:11	Initiate and undertake patient and family/carer education and training					
1:2:12	Provide guidance, counselling and support in the management and promotion of health					
Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

BACK TO CONTENTS

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides empathy and understanding and works with the patient (and their family/carers) as an expert in their own condition.			L	Date	Sig	
Domain: Advanced Practitioner						
1:3:1	Invites the patient to share their experience as a resource for teaching nurses and others					
1:3:2	Develops patient pathways in collaboration with patients and user groups					
1:3:3	Oversees and monitors the quality of care					
1:3:4	Involves the patient in participation groups/service user groups to design, plan and obtain feedback on self-care initiatives					
1:3:5	Signposts and advises the patient on how to make a complaint					
Knowledge and underett(is)-2 (e)-5.9 (s t)5.5 (h)-5.5 (e p)-5..2 (c)f.004 7.4875 Td [(-13.487Td [(g)6.2 (r)-0.8 (ou)--7.5 (2)]TJ 0.006 Tc -0.0061T2 1 6 [(S)-3.3 (i)3.1 (g)-0.8 (n)-L Tc						

BACK TO CONTENTS

Competency 2
Works collaboratively with the patient to assess their needs, considering their age and developmental stage, and their cultural and ethnic background

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Works collaboratively with the patient to assess their needs, considering their age and developmental stage, and their cultural and ethnic background.			L	Date	Sig	
Domain: Registered Nurse						
2:1:1	Explains issues that may arise during specific developmental stages					
2:1:2	Explores the patient's culture, family, lifestyle, hopes and expectations					
2:1:3	Discusses the patient's cultural/ family/ethnic background and identifies personal preferences					
2:1:4	Uses all available resources to provide information about screening/counselling, including interpreter/cultural mediator					

Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Works collaboratively with the patient to assess their needs, considering their age and developmental stage, and their cultural and ethnic background.			L	Date	Sig	
Domain: Enhanced						
2:2:1	Explores the impact of the patient's condition with regard to their cultural, religious and ethnic background and life choices, eg treatment options and reproductive choices					
Knowledge and understanding of:						
2:2:2	The impact of culture, religion and ethnicity on health beliefs					
2:2:3	Medical-legal implications					
2:2:4	Key policies and guidelines, ie Mental Capacity Act and Equalities Act					
2:2:5	Dealing with refusal of care by the patient or their family/carers, and escalation to a health care professional where appropriate					
Knows how to:						
2:2:6	Clearly document patient refusal of care and escalate					

Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Knows how to:						
3:1:6	Record nursing clinical observations and take appropriate actd ta q 1 0 0 1 56.6929 56.9429 cm 0 0 144.567 0 l S Q q 50.3 (c)-1584 (td t584 w 0 r)-10..5 (6)]TJ 0 Tc7cord nuufo 3 (k)25risepl3 (n) (e a)-2.3 (p)-9					

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Undertakes comprehensive physical assessment and follows up with appropriate action, including referral to medical specialists for relevant chronic health care conditions.			L	Date	Sig	
Domain: Enhanced						
3:2:1	Acts on findings of nursing assessments, refers to local guidelines and/or refers to appropriate specialist team					
3:2:2	Provides education to the patient and their family/carers on the condition, treatments and side-effects					
3:2:3	Monitors and advises on nutritional intake and supplements in collaboration with a dietician, to ensure optimal nutrition and growth					
3:2:4	Imnh Td [rs and adh					

BACK TO CONTENTS

Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

3:3:5	Provides clinical leadership for nurses and health care professionals involved in caring for those with sickle cell disease and thalassaemia syndromes					
3:3:6	Demonstrates awareness of psychosocial aspects: adherence, anxiety, depression, needle phobia, PTSD					
Knowledge and understanding of:						
3:3:7	The complex nature of acute and chronic sickle cell disease and thalassaemia syndromes, and management and treatment of complications (see appendix 2)					
3:3:8	Accountability, including legal and ethical issues and the impact of political, social and economic influences on health care					
3:3:9	Different types of priapism, including stuttering and acute events					
Knows how to:						
3:3:10	Undertake a comprehensive physical assessment of all body systems					
3:3:11	Explain transcranial dopplers (TCDs) and their significance in treatment plans					
3:3:12	Initiate investigations according to patient symptoms					
3:3:13	Act on investigations and interpret results					

Comp
Signp s to information about their genetic condi

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Signposts the patient and their family/carers to information about their genetic condition.			L	Date	Sig	
Domain: Enhanced						

BACK TO CONTENTS

Knows how to:						
4:2:9	Support decision-making by the patient or guardian					
4:2:10	Work within protocols, standards and guidelines, both national and local					
4:2:11	Explain genetic inheritance, the available screening tests, their implications and interpretation of the results					
Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Signposts the patient and their family/carers to information about their genetic condition.			L	Date	Sig	
Domain: Advanced Practitioner						
4:3:1	Interprets more complex results, eg rare or unusual haemoglobin variants					
4:3:2	Initiates further investigations, such as DNA analyses					
4:3:3	Provides education and training and works with health care professionals, including specialist and genetic counsellors (see also Competency 3)					
4:3:4	Ensures the patient and, where relevant, their family/carers, understand screening implications, the results and the available options					
Knowledge and understanding of:						
4:3:5	National standards and local guidance: actively participates in development and drafting process					

Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Competency 5
Develops and evaluates a self-management plan with the patient

BACK TO CONTENTS

5:1:7	Benchmarking around the activities of daily living and improvement strategies					
5:1:8	The main local and national support groups available for patients within the area of practice					
5:1:9	How to access and refer patient and their families/carers on to appropriate agencies for financial, social, spiritual and cultural advice and support					
5:1:10	How cultural and religious backgrounds influence lifestyle choices, including structural biases and racism					
5:1:11	The support strategies and interventions available to care for patients with complex needs, eg patients exhibiting denial, anger following blood transfusion treatments or deterioration					
5:1:12	The need to actively support patients and their families/carers to identify and manage their own health and social wellbeing throughout the sickle cell and thalassaemia journey					
5:1:13	Patient or user involvement initiatives in the locality					
5:1:14	Assessment of patients' basic needs, from admission to discharge					

BACK TO CONTENTS

5:2:7						

BACK TO CONTENTS

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Develops and evaluates a self-management plan with the patient.			L	Date	Sig	
Domain: Advanced Practitioner						
5:3:1	Facilitates cross-boundary working, ensuring consistent information is provided across the patient care pathway					
5:3:2	Establishes local patient and user involvement in sickle cell and thalassaemia services					
Knowledge and understanding of:						
5:3:3	How to work collaboratively with the patient to develop and maintain a self-management plan that enables them to reach their					

Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Competency 6
Works alongside the patient and their family/carers to address the psychological and social impact of their condition

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Works alongside the patient and their family/ carers to address the psychological and social impact of their condition.			L	Date	Sig	
Domain: Registered Nurse						
6:1:1	Understands how having a long-term condition impacts the patient and their family/carers					
6:1:2	Communicates treatment plans clearly and recognises that hospitalisation is a k2 (t((d)4761.3 (o)-7 (s)]TJ 0 -1.1 Td7 (s)-2. [(t)5.4 (r)-5.4 (e)-5.9 (s)-6.1 f (e)1.9 (a)-2.3 (c)0.6 121.3 (o)-7 f (r)1.3 (o)-7 7 (s thl0sca6mpatientt and theit					

BACK TO CONTENTS

Action plan to achieve required competency level.

6:2:6	Identifies individuals with long-term complications and explores the fear of death (if discussed) and suicidal ideation (if appropriate). Reports to a senior clinician for appropriate assessment and treatment					
6:2:7	Initiates communication during assessment and throughout the patient's journey, using both open and closed questions					
6:2:8	Provides an assessment tool and environment that is appropriate for the individual patient to ensure effective communication, eg smiley faces for children					
6:2:9	Sensitively investigates personal background and identifies family asse(c)- (e i)-(n)5 oblet06 7.4 (e)-6.3 (n)5 (t t)5.5 (h)-5.6 (wi.3 -6.3 (n)11 (:2)-10..5 (ie)- (i)-1.8 (c)-6 (s t)5.5 (h)-5.)-2 mily.9 (:.5 /b)- (t)-205 Td :ici5-8					

Knowledge and understanding of:						
6:2:12	The criteria and thresholds for referral to the local identified psychology and psychiatric provider					
Knows how to:						
6:2:13	Complete appropriate referrals in a timely manner					
6:2:14	Liaise with other professionals to facilitate a holistic plan of care and provide the patient with the best outcomes					
6:2:15	Work within their own scope of practice and seek advice from others if in doubt					
Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Competency 7
Works with the patient and their family/carers to manage the pain of patients with sickle cell disease

Comp1 Tf2.236 0 0 1 0 0 1 6437.833 6430 721.8 (n) -419 21.8 (n) 5154 (c) 2124 (y) 5748 s0 5 6430 21.8 (n 54 19 5 44 :)]TJ 0.005 Tc -0.005 Tw 137.842 1Td1 TL						

BACK TO CONTENTS

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Works with the patient and their family/carers to manage the pain of patients with sickle cell disease.			L	Date	Sig	
Domain: Advanced Practitioner						
7:3:1	Prescribes medication for the patient as a nurse practitioner or administers appropriate medication under a patient group direction					
7:3:2	Monitors care in relation to current standards and drafts and implements local guidelines					
7:3:3	Develops innovative pain services in collaboration with patients					
Knowledge and understanding of:						
7:3:4	Non-medical prescribing					
7:3:5	Increased mortality risks associated with sickle cell patients who present with frequent pain episodes					
7:3:6	Mortality risks of patients with beta thalassaemia syndromes, including non-transfusion-dependent thalassaemia (NTDT) and transfusion-dependent thalassaemia (TDT)					
7:3:7	Other treatment modalities and disease-modifying interventions that may be appropriate for the management of pain and side-effects, eg hydroxyurea, psychological therapies, and blood transfusion including apheresis					

Competency 8.0
Provides specific interventions with regards to safely undertaking phlebotomy and cannulation

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides specific interventions with regards to safely undertaking phlebotomy and cannulation.			L	Date	Sig	
Domain: Registered Nurse						
8:1:1	Identifies the patient verbally and via the name band					
8:1:2	Lhisiis8:-4.m-0.7 (1)]TJ 0 Tc .3 (94)-1.7 0.7 f.7 (-4.m-0.7 (1)]TJ 0 Tc .3 (94)-1.7 0.7 1.75dh6 2)(1)-20.2 (:)-26.5 (2)]TJ 0 Tc 0 Tw 13.487 4aahl.m-0.7 tr5 Td5hie 8e12al7143 (n)-9.98 (s)] (i1 Tf 0c5 Td5)-uv7 0b22806 (a)-2.]TJr(o.9 (l)f487 4)-9.98 (s4)-5.3 (1					

BACK TO CONTENTS

8:1 Knowledge and

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides specific interventions with regards to safely undertaking phlebotomy and cannulation.			L	Date	Sig	
Domain: Enhanced						
8:2:1	Skilfully undertakes challenging phlebotomy and cannulation					
8:2:2	Assesses the clinical need for cannulation and identifies reasons why phlebotomy or cannulation may be unsuccessful					
8:2:3	Identifies the need for using additional support, such as ultrasound (U/S), vein finders, etc					
Knowledge and understanding of:						
8:2:4	Impact of continued exposure to phlebotomy					
8:2:5	Ultrasound and cold light techniques (theoretical knowledge required)					
8:2:6	Identification of problems with phlebotomy cannulations and potential complications, eg syncope, panic attacks, anxiety					
Knows how to:						
8:2:7	Recognise, manage and deal with simple needle phobias and their impact on families/carers					

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides specific interventions with regards to safely undertaking phlebotomy and cannulation.			L	Date	Sig	
Domain: Advanced Practitioner						
8:3:1	Trains others in phlebotomy and cannulation techniques and care					
8:3:2	Assesses the clinical need for cannulation and identifies reasons why it is necessary					
8:3:3	Identifies when a patient is not suitable for cannulation and refers for central venous access or alternatives such as ports, Hickman lines, etc					
8:3:4	Advocates for the patient in terms of alternatives to peripheral intravenous access and advises on complications such as keloid scarring, etc					
Knowledge and understanding of:						
8:3:5	How to supervise, intervene and teach, working in line with current practice and relevant research					
Knows how to:						
8:3:6	Manage staffing competency issues					

BACK TO CONTENTS

Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Competency 8.1
Provides specific interventions with regards to safely managing central venous access devices (CVADs), including portacaths

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides specific interventions with regards to safely managing central venous access devices (CVADs), including portacaths.			L	Date	Sig	
Domain: Registered Nurse						
8.1:1:1	Monitors CVAD line for possible complications, eg infection or deep vein thrombosis (DVT), and seeks advice from senior colleagues					
8.1:1:2	Assesses CVAD line for treatment using aseptic technique, according to local guidance					
8.1:1:3	Administers treatment via CVAD and ensures patient safety, according to local guidance					
Knowledge and understanding of:						
8.1:1:4	Local guidelines, policies and protocols/clinical procedures that affect practice in relation to CVADs					
8.1:1:5	The need for informed consent					
8.1:1:6	The importance of the aseptic non-touch technique (ANTT) in relation to CVAD					
Knows how to:						
8.1:1:7	Identify different types of CVAD					

BACK TO CONTENTS

8.1:1:8	Document all interventions in appropriate nursing notes					
8.1:1:9	Identify causes of potential line blockages due to other mechanisms, not necessarily line occlusion					
Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Knows how to:						
8.1:2:8	Identify any complications that may arise with CVADs, eg blocked line, and treat appropriately					
8.1:2:9	Escalate concerns as necessary with regards to all CVADs					
Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides specific interventions with regards to safely managing central venous access devices (CVADs), including portacaths.			L	Date	Sig	
Domain: Advanced Practitioner						
8.1:3:1	Inserts femoral/PICC lines and portacaths if clinically indicated, using aseptic techniques					
8.1:3:2	Uses ultrasound and X-ray guidance for CVAD insertion					
8.1:3:3	Initiates a prescription and administers sedation if clinically indicated and maintains patient safety					
8.1:3:4	Trains others in CVAD line insertion and assesses competence					
8.1:3:5	Develops protocols and nursing guidance for CVADs within the speciality					
Knowledge and understanding of:						
8.1:3:6	Research and current developments at national level					
8.1:3:7	National guidelines, policies and protocols or clinical procedures that affect practice in relation to insertion of CVADs					

BACK TO CONTENTS

Competency 8.2
Provides specific interventions with regards to safely administering transfusions and exchange blood transfusions

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides specific interventions with regards to safely administering transfusions and exchange blood transfusions.			L	Date	Sig	
Domain: Registered Nurse						
8.2:1:1	Demonstrates basic understanding of transfusions					
8.2:1:2	Undertakes transfusions in accordance with local policy					
8.2:1:3	Explains procedures to the patient, including risks and benefits, and provides the patient with information					
8.2:1:4	Obtains consent for all procedures and administers transfusions safely, according to local tr1.4 (s)ding to local					
	tr1.4d adme.2:(004 Ti.Td [(t a)-1 a)-3.4 (4)d ( )T T0ecdding ts diires					

BACK TO CONTENTS

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides specific interventions with regards to safely administering transfusions and exchange blood transfusions.			L	Date	Sig	
Domain: Enhanced						
8.2:2:1	Understands local policies and guidelines that relate to automated or manual exchanges					
8.2:2:2	Knows how to prepare a patient for exchanges, eg aware of the importance of weight, height and pre-blood investigations					
8.2:2:3 Tc 0 Tw -b0 Td ( )Tj 6						

BACK TO CONTENTS

Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides specific interventions with regards to safely administering transfusions and exchange blood transfusions.			L	Date	Sig	
Domain: Advanced Practitioner						
8.2:3:1	Provides clinical supervision for the team					
8.2:3:2	Trains, supervises and assesses the competence of others in performing automated and manual exchanges					
8.2:3:3	Able to troubleshoot the Spectra Optia Apheresis Machine					
8.2:3:4	Reviews post-transfusion blood test results and takes the appropriate action, eg fluid requirement, discharging the patient, etc					
8.2:3:5	Able to insert femoral lines					
Knowledge and understanding of:						
8.2:3:6	The Spectra Optia Apheresis Machine					
8.2:3:7	Complications requiring transfusion and exchanges within specialty					
8.2:3:8	Benefits and risks associated with transfusion and exchange transfusions					



Competency 8.3
Provides specific interventions with regards to safe fluid management and hydration

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement

Officer Use Only 9429 78 E 2448 m 0 1 1 0 Q q 1 0 0 1 191.811 214.

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides specific interventions with regards to safe fluid management and hydration.			L	Date	Sig	
Domain: Enhanced						
8.3:2:1	Demonstrates an understanding of normal distribution of fluid between extracellular and intracellular spaces					
8.3:2:2	Recognises the complications associated with acute kidney injury (AKI)					
Knowledge and understanding of:						
8.3:2:3	Colloids and crystalloids					
8.3:2:4	Peripheral, dependent, generalised and pulmonary oedema					
8.3:2:5	AKI: what it is and how it affects patients					
8.3:2:6	The risk factors associated with AKI					
8.3:2:7	Renal complications in patients with sickle cell disease and thalassaemia syndromes					
Knows how to:						
8.3:2:8	Assess for signs of pulmonary and peripheral oedema, understand the significance of findings and determine appropriate treatment options					
8.3:2:9	Administer fluid challenges and measure their effectiveness					

BACK TO CONTENTS

BACK TO CONTENTS

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides specific interventions with regards to safe fluid management and hydration.			L	Date	Sig	
Domain: Advanced Practitioner						
8.3:3:1						

Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

BACK TO CONTENTS

Competency 8.4
Provides specific interventions with regards to safely administering pharmacological treatments and side-effects

BACK TO CONTENTS

Knowledge and understanding of:						
8.4:2:7	Professional and legal issues associated with medicines					
8.4:2:8	The implications of medicinal abuse and their own accountability and responsibility					
8.4:2:9	National guidelines and policies that impact on local services					
8.4:2:10	Opiates, hydroxyurea, chelation therapies and related complications, including fast-track processes					
Knows how to:						
8.4:2:11	Provide and supervise care related to their specialty area, using their technical skills. This may include: • clinically examining patients • siting CVADs • undertaking invasive procedures • initiating treatment to manage complications associated with opiates, hydroxyurea, chelation and other related treatments					

Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides specific interventions with regards to safely administering pharmacological treatments and side-effects.			L	Date	Sig	
Domain: Advanced Practitioner						
8.4:3:1	Instigates and contributes to changes to the management of treatments which reflect the current evidence-based practice					
8.4:3:2	Responds to innovations in treatment and care associated with a specialty area					
8.4:3:3	Shows the requisite technical skills to manage a caseload of patients requiring specialist interventions					
8.4:3:4	Trains, educates, supervises and mentors senior registered practitioners and other members of the multiprofessional team to acquire an expert level of knowledge and technical skill					
8.4:3:5	Engages with commissioners and NHS England to inform and develop local services					
8.4:3:6	Advises on resource issues associated with the nursing contribution to ensuring safe practice					
8.4:3:7	Participates in clinical trials and research initiatives					

BACK TO CONTENTS

8.4:3:8	Monitors, audits and evaluates adherence to policy, procedures, guidelines and standards of practice, and initiates training where appropriate to improve delivery of care to patients and their family/carers					
Knowledge and understanding of:						
8.4:3:9	Treatment regimens, including those currently in development, such as Hydroxycarbamide, Voxelor, CasgepE.2 (y4]TJ /TT3 1 Tf 0 Tc 0 q 1 0Cy)15.1 (e)-612 (o p)-5m-7 (r)48.2 (, C)-2.-5.9 (d)4 [(d)-3.3 (n)5 (t r)-5.4 (e)1.8 (g)3.1 (i)-1.4a He.4					

BACK TO CONTENTS

Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Competency 8.5
Provides specific interventions with regards to safely managing hydroxycarbamide therapy

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides specific interventions with regards to safely managing hydroxycarbamide therapy.			L	Date	Sig	
Domain: Registered Nurse						
8.5:1:1	Understands hydroxycarbamide therapy and its indication for use					
8.5:1:2						

BACK TO CONTENTS

8.5:1:9	Where to obtain and find age-appropriate information and support groups, local policies and national guidelines					
Knows how to:						
8.5:1:10	Refer appropriately					
8.5:1:11	Provide patient-centred care, displaying empathy and good communication skills					
8.5:1:12	Be open to receiving feedback from patients and colleagues					
Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Provides specifn0 0 m 0 61 l S Q q 1 0 0 1 366.6142 60.7 3801 0 0 116.3						

8.5:2:9	The importance of initiating appropriate investigations					
Knows how to:						
8.5:2:10	Educate patients on their blood test results and explain findings					
8.5:2:11	Assess the factors that impact on adherence and develop strategies E.2 (c)-355 (it)5me5 (i)-2.3 0(t)4tciii8ie8c6-4 9 (d)-0t1 (g)10r2 (1)0.2 (7-2.3 g)-1.72.818.513(i)8.1 (r)7.53s-2-2.3 ((7-2,)(c6-4 9)0.6 (8)-40.5 (.)-33 (5					

Knows how to:						
8.5:3:9	Interpret complex results and investigations and take appropriate action					
8.5:3:10	Refer to consultant haematologist for appropriate advdt					

Competency 8.6
Provides specific interventions with regards to safely managing iron overload, including chelation therapy

Competency statement:	Level of achievement required	Self-a				

Knows how to:						
8.6:2:10	Advise patients embarking on chelation regimens in relation to appropriate contraception					
8.6:2:11	Educate patients on their blood results and explain findings					
8.6:2:12	Assess the factors that impact on adherence and develop strategies to promote patient engagement					
8.6:2:13	Recognise and support appropriate psychosocial referrals in relation to treatment adherence, transition, etc					
8.6:2:14	Explain a range of chelation techniques and ways of monitoring					

Competency 9
Uses early-warning tools/approaches (for example, red alert) to identify the patient's changing and deteriorating condition, and takes appropriate action

BACK TO CONTENTS

Knows how to:						
9:1:7	Actio:					

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Uses early-warning tools/ approaches (for example, red alert) to identify the patient's changing and deteriorating condition, and takes appropriate action.			L	Date	Sig	
Domain: Enhanced						
9:2:1	Investigates the causes of early signs of deterioration and takes appropriate action					
9:2:2	Assesses and identifies patient problems, documents all findings and liaises with the medical teams					
Knowledge and understanding of:						
9:2:3	The pathophysiological changes that can occur suddenly or gradually in patients with sickle cell disease or thalassaemia syndromes, resulting in rapid deterioration or death					
Knows how to:						
9:2:4	Assess and identify significant signs and symptoms of complications related to sickle cell disease or thalassaemia					
9:2:5	Undertake, record and act on nursing observations					

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Uses early-warning tools/ approaches (for example, red alert) to identify the patient's changing and deteriorating condition, and takes appropriate action.			L	Date	Sig	
Domain: Advanced Practitioner						
9:3:1	Provides and evaluates clinical supervision for the team					
9:3:2 9:3 2 c1-4 (d . a)- (e t)14.4 (e)-4 (a)-2.3 (s)-3. .6 (o)n d [(s)-6.5 (t (gd	Undertakes a comprehensive history and initiates treatment aciamACi cd an7-6.5 4Sdd iet appropriatl527.2 (d i)-1.7 (r t)5.5 (h)-5.6n7 (m)-7.5 (u)r7 (p3-3.2 (s)-2.2 (i)-1.4 (ng a)-2.3 (n)-9.9 (d)]TJ 0 -1.1 T.5 (m)-5.1 (e)-1)-47.2 [0 8 c1-4 (d .	[8A)-6.4 3t)15.5 (e)-6. .6 (o)-7 (d)]TJ 0 -1.1 Tg9 (i)-0r (c-17.5 5A)-6.4 (s)-6.5 7cd a: c-17.6 (h)-5.6 (a)-2.3 8e				

BACK TO CONTENTS

Competency 10
Actively improves and promotes services across the care pathway

Knowledge and understanding of:						
10:1:9	Sickle cell disease and thalassaemia syndromes					
10:1:10						

Action plan to achieve required competency level.

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Actively improves and promotes services across the care pathway.			L	Date	Sig	
Domain: Enhanced						
10:2:1	Embeds competencies within their local trust's courses/qualifications					
10:2:2	Engages with primary care (including with community and practice nurses) to promote awareness of sickle cell disease and thalassaemia syndromes					
10:2:3	Engages with local education providers where appropriate (for example, by establishing relationships with school nurses)					
10:2:4	Encourages patients to talk to their GP about their condition					
10:2:5	Uses their specialist knowledge and skills regarding disclosure of sensitive information					
10:2:6	Acts as a communication resource for other members of the multidisciplinary team					
10:2:7	Acts as a role model, educating and mentoring junior staff					
10:2:8	Demonstrates ability to communicate information to patients and their families/carers					
10:2:9	Demonstrates skills in assessing the patient's/carer's level of understanding					
10:2:10	Leads a team to define and achieve goals					

BACK TO CONTENTS

BACK TO CONTENTS

Action plan to achieve required competency level.

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Actively improves and promotes services across the care pathway.			L	Date	Sig	
Domain: Advanced Practitioner						
10:3:1	Provides quality accounts, including reports on mortality and morbidity within sickle cell disease and thalassaemia populations in areas where preoaemia popiro6841E(k)1.1 (l)10.7 (e)-9.5 (r313)-9.. atal i29.9 ()-59e TT2 1 Tf - (ai)-4.4 ()-6 (41Ei)-4.4 ()-6 (3.2 (v)16.4 i)-4.9 (e)-2 me p9..n -2.2 (ia p)-9.ia popd					

BACK TO CONTENTS

10:3:7	Effectively communicates the strategic direction for the specialty and service area to secure support and commitment across the health economy					
10:3:8	Contributes to strategy and policy development, at a local, strategic health authority and national level					
10:3:9	Facilitates the development of leadership skills amongst junior colleagues					
10:3:10	Initiates and implements innovations in care through effective delegation and collaboration					
10:3:11	Communicates effectively and involves all appropriate personnel in the decision-making process					
Knowledge and understanding of:						
10:3:12	Leadership roles and the range of leadership skills that can be utilised					
Knows how to:						
10:3:13	Liaise within the network at a senior level and provide strategic leadership and direction for policy development					

Bespoke competencies						
Competency statement: Domain:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
			L	Date	Sig	
Action plan to achieve required competency level.						

Competency 11
Transition – early planning and preparation. Ideally this competency should be undertaken by a specially appointed transition nurse

Competency statement:	Level of achievement required	Self-assessment	Level achieved (assessed)			Evidence of achievement
Transition – early planning and preparation. Ideally this competency should be undertaken by a specially appointed transition nurse.			L	Date	Sig	
Domain: Registered Nurse						
11:1:1	Provides basic health promotion/ education and information around the concept of transition					
11:1:2	Uses a validated assessment tool (ie a standard generic tool such as Ready Steady Go) in addition to the local transition passport/pathway to assess and collect baseline information about the young person					
11:1:3	Assesses the overall readiness of the young person to transition to adult services by discussing this with the young person					
11:1:4	Signposts any gaps in readiness to necessary personnel					
Knowledge and understanding of:						
11:1:5	Requirements for transition and the age to commence the process in line with local policy and guidance					
11:1:6	Reasons for transition and the importance of preparing the young person ahead of time					

BACK TO CONTENTS

11:1:7	Ready Steady Go questionnaires and how to use the information provided to support the young person					
Knows how to:						
11:1:8	Analyse information from patient questionnaires and surveys to inform the ent					

BACK TO CONTENTS



References/Bibliography

Adult Epilepsy Specialist Nurse (ESN) Steering Group (2012) The Adult Epilepsy Specialist Nurse Competency Framework . Available at: www.epilepsy.org.uk/app/uploads/2022/08/14.-RCN-Adult-ESN-Competency-Framework.pdf (accessed 7

DeBaun M R, Jordan L C, King A A, Schatz J, Vichinsky E, Fox C K, McKinstry R C, Telfer P, Kraut M A, Daraz L, Kirkham F J and Murad M H (2020) American Society of Hematology 2020 guidelines for sickle cell disease: prevention, diagnosis, and treatment of cerebrovascular disease in children and adults, Blood Advances , 4(8), pp. 1554- 1588. Available at: https://pubmed.ncbi.nlm.nih.gov/32298430/ (accessed 7 February 2024).

elearning for healthcare (2024) Healthy Child Programme . Available at: www.e-lfh.org.uk/programmes/healthy-child-programme/ (accessed 7 February 2024).

Farmakis D, Porter J, Taher A, Domenica Cappellini M, Angastiniotis M and Eleftheriou A for the 2021 TIF Guidelines Taskforce (2022) 2021 Thalassaemia International Federation Guidelines for the Management of Transfusion-dependent Thalassemia, HemaSphere, 6(8), p. e732. Available at: https://journals.lww.com/hemasphere/Fulltext/2022/08000/2021_Thalassaemia_International_Federation.6.aspx (accessed 7 February 2024).

Galanello R and Origa R (2010) Beta-thalassemia, Orphanet Journal of Rare Diseases , 5(11). Available at: https://ojrd.biomedcentral.com/articles/10.1186/1750-1172-5-11 (accessed 7 February 2024).

Government Equalities Office and Equality and Human Rights Commission (2013) Information and guidance on the Equality Act 2010, including age E_y 2024).

Liem R I, Lanzkron S, D. Coates T, DeCastro L, Desai A A, Ataga K I, Cohen R T, Haynes J Jr, Osunkwo I, Lebensburger J D, Lash J P, Wun T, Verhovsek M, Ontala E, Blaylark R, Alahdab

National Institute for Health and Care Excellence (2021) Sickle cell disease. Clinical Knowledge Summary. Available at: https://cks.nice.org.uk/topics/sickle-cell-disease/ (accessed 7 February 2024).

National Institute for Health and Care Excellence (2021) Which weak opioid should I prescribe for the treatment of mild-to-moderate pain? Available at: https://cks.nice.org.uk/topics/analgesia-mild-to-moderate-pain/management/weak-opioids/ (accessed May 2024)

National Institute for Health and Care Excellence (2021) Pain, chronic . Available at: https://bnf.nice.org.uk/treatment-summaries/pain-chronic/#overview (accessed 7 February 2024).

NHS (2022) Assessing capacity: Consent to treatment . Available at: www.nhs.uk/conditions/consent-to-treatment/capacity/ (accessed 7 February 2024).

NHS England (2018) Sickle cell and thalassaemia screening standards valid for data collected from 1 April 2018 . Available at: www.gov.uk/government/publications/sickle-cell-and-thalassaemia-screening-programme-standards/sickle-cell-and-thalassaemia-screening-standards-valid-for-data-collected-from-1-april-2019 (accessed 7 February 2024).

NHS England (2023) The 2023 Genomic Competency Framework for UK Nurses. Available at: www.genomicseducation.hee.nhs.uk/wp-content/uploads/2023/12/2023-Genomic-Competency-Framework-for-UK-Nurses.pdf (accessed 7 February 2024).

NHS National Blood Transfusion Better blood transfusion toolkit . Available at: https://hospital.blood.co.uk/pbm-toolkit/ (accessed 7 February 2024).

NHS Sickle Cell and Thalassaemia Screening Programme Standards April 2017. Available at: www.gov.uk/government/publications/handbook-for-sickle-cell-and-thalassaemia-screening/sickle-cell-and-thalassaemia-screening-programme-handbook-overview (accessed 18 March 2024).

Nursing & Midwifery Council (2018) The Code: Professional standards of practice and behaviour for nurses, midwives, and nursing associates . Available at: www.nmc.org.uk/standards/code/ (accessed 7 February 2024).

Nursing & Midwifery Council (2018) Standards of proficiency for registered nurses . Available at: www.nmc.org.uk/standards/standards-for-nurses/standards-of-proficiency-for-registered-nurses (accessed 27 August 2024).

Nursing and Midwifery Council (2020) Caring with Confidence: The Code in Action. Available at: www.nmc.org.uk/standards/code/code-in-action/ (accessed 7 February 2024).

Nursing and Midwifery Council (2020)

Nursing & Midwifery Council (2023) Standards for education and training. Part 1: Standards framework for nursing and midwifery education. Available at: www.nmc.org.uk/standards-for-education-and-training/standards-framework-for-nursing-and-midwifery-education

SB: 2r1(a)-2.s9-2n26f161-4.u ((-)8.4.30)56.n10l105f(8)8TJm 723ae
f2 4-19 (16)77.1 (n513.2(cc)7.4ti (t413.2(c5)-2.1 0.259 cn /GS1 gs /TT2 1 Tf 0 Tc -0.010 -1.o)873(1 f)2[. .6

Royal College of Nursing (2017) Standards for Assessing, Measuring and Monitoring Vital Signs in Infants, Children and Young People. London: Royal College of Nursing. Available at: www.rcn.org.uk/professional-development/publications/pub-005942 (accessed 7 February 2024). Under review by RCN.

Royal College of Nursing (2018) Advanced Level Nursing Practice Section 1: The registered nurse working at an advanced level of practice (updated 2023) . London: Royal College of (n)5.8 (i)25.6 (t)25.8 (o)-0.6 (r)14.8 (i)8.1 (n)4.4 (g V)7.5 (i)25.6 (t)15.5 (a)10.4 (l)]TJ 0 -1.2 Td [(S)7.523[-0.0
sing. Available Re cd40d (accesed 7 Fe3-2.1 (b)-4.3 (r)-23.3 (y)-0.6 (2)-7 (0)-4.9 (2)6.2 (4)11.4 ())4.4 (. U[(A)13 (d)0.6 (e)-2.1 (r

3(e)-2.1 (r r)-1.2 (o)-0.6)-221ollegs5 16798 ((14-0.6m)-12 1 (-)63.448 ((14-0.6nf6.9 (g]1Tdl] (e an -8.3-2ds)-5. Td [(()27.6 (a)2 (

Siemieniuk R A C, Chu D K, Kim L H-Y, Maria-Rosa Güell-Rous, Alhazzani W, Soccal P M, Karanicolas P J, Farhoumand P D, Siemieniuk J L K, Satia I, Irusen E M, Refaat M M, Mikita J S, Smith M, Cohen D N, Vandvik P O, Agoritsas T, Lytvyn L and Guyatt G H (2018) Oxygen therapy for acutely ill medical patients: a clinical practice guideline, British Medical Journal, 363. Available at: www.bmj.com/content/363/bmj.k4169 (accessed 7 February 2024).

Singh S P, Anderson B, Liabo K and Ganeshamoorthy T (2016) Supporting young people in their transition to adults' services: summary of NICE guidance, British Medical Journal , 353. Available at: www.bmj.com/content/353/bmj.i2225 (accessed 7 February 2024).

United Kingdom Thalassaemia Society (2016) Standards for the Clinical Care of Children and Adults with Thalassaemia in the UK . 3rd edn. Available at: www.stgeorges.nhs.uk/wp-content/uploads/2020/02/UKTS-adults-and-children-with-thalassaemia-guidelines-2016.pdf (accessed 7 February 2024).

Walker I, Trompeter S, Howard J, Williams A, Bell R, Bingham R, Bankes M, Vercueil A, Dalay S, Whitaker D and Elton C (2021) Guideline on the peri-operative management of patients with sickle cell disease: Guideline from the Association of Anaesthetists, Anaesthesia , 76(6), pp. 805–817. Available at: https://onlinelibrary.wiley.com/doi/abs/10.1111/anae.15349 (accessed 7 February 2024).

World Health Organization (2010) WHO Guidelines on drawing blood: best practices in phlebotomy , Geneva: World Health Organization. Available here:

Full list of contributors to the development of the competencies

Sekayi Tangayi, Consultant Nurse Sickle Cell & Thalassaemia, North Middlesex University Hospital

Joan Walters, Senior Practitioner Lecturer (Children and Young People/ Haemoglobinopathies), King's College, London

Elizabeth Anionwu CBE FRCN, Emeritus Professor of Nursing, University of West London (formerly Thames Valley University). Chair of the Working Group

Allison Streetly OBE, Former Programme Director, NHS Sickle Cell and Thalassaemia Screening Programme

Professor Paul Telfer, Honorary Consultant Haematologist and Paediatric Haematologist, Barts Health NHS Trust

Kim Manley, Education Facilitator, Royal College of Nursing

Neill Westerdale, Advanced Nurse Practitioner, Haemoglobinopathies, Guy's & St Thomas' NHS Foundation Trust

The Sickle Cell Society, UK Thalassaemia Society and UK Forum for Haemoglobin Disorders

Appendix 1:
Further reading and guidance

These competencies align with the national sickle cell and thalassaemia standards for

Appendix 2: List of complications

Acute
1. Acute chest syndrome (ACS)
2. Infection
3. Stroke
4. Splenic complications
5. Acute anaemia
6. Priapism
7. Renal complications
8. Painful swelling of hands and feet
9. Gastrointestinal complications
10. Biliary complications, ie cholecystitis
11. Pain (refer t53.543 0 9 (o28709 (o26 (p)-70 [(1)22.2n)-0.7 (l)15. 7 9-4.1 (l)15.2 (e)-2.1 (n)2.3 (i)2.661 5R
65 Td [(4)-Cia3d, i2. (e5.8 (ds a)1.9 (n)p-19.9 (u-3.7 (als)2 (t m)15.97 (i)2.5 (o)-2.1 (n))4.4 (a)1.93(r)-23.2 (y

Appendix 3: List of abbreviations

ACS	acute chest syndrome
AKI	acute kidney injury
ANTT	aseptic non-touch technique
ASCAT	Annuap.7 (s)2.3 (e)-2.1 (p) 0 1 70.8 k6c (t)16.5 r S(o)-2.8 (e)2.7 l 70 (i)2 C72JTw -6.869.9 6 0
nA	Ac6 (n)g(s)5nitii(e)2. b.84n(o-1.9 (e)v)3e(t)-2.7 (u)-5 9 (r)-3.3 (p.7 t)9 (r)-1.5 (e)-1.2re
(CV)Tj Tc 0 Tw 6.356 0 Td [(A)c71n-rp.7 7 l 70 v0 ((7n)24T6 cm n2.7 (u)-2.7 (u)-5 9 (-)s TJ -0.0016Tc 0.073	

RCN	Royal College of Nursing
RFS	requires further skills
SENCO	Special Educational Needs Coordinator
SMART	Specific, Measurable, Achievable, Relevant, Time-Bound
STANMAP	Sickle Cell and Thalassaemia Association of Nurses, Midwives and Allied Professionals
TCD	transcranial doppler
TDT	transfusion-dependent thalassaemia
U/S	ultrasound
UK	United Kingdom
UKFORUM	United Kingdom Forum on Haemoglobin Disorders
UKTS	United Kingdom Thalassaemia Society
WHO	World Health Organization

Publication

This is an RCN practice guidance. Practice guidance are evidence-based consensus documents, used to guide decisions about appropriate care of an individual, family or population in a specific context.

Description

This publication details the competencies required by nursing staff caring for patients with thalassemia and sickle cell disease.

Publication date: Septembte: S

Kindly sponsored by

The RCN represents nurses and nursing, promotes excellence in practice and shapes health policies

RCN Direct
www.rcn.org.uk/direct
0345 772 6100

Published by the Royal College of Nursing
20 Cavendish Square
London
W1G 0RN

020 7409 3333
www.rcn.org.uk

September 2024
Review date: September 2027
Publication code: 011 284