Royal College of Nursing

Making Sense of Women's Health

CLINICAL PROFESSIONAL RESOURCE



Contents

1. Introduction 4
2. How to use this resource 5
3. Questions for history taking 5
4. A woman's life course 6
5. Symptoms and conditions by age throughout the life course 10
6. Screening and women's health 12
7. Symptom analysis grid for more common symptoms and conditions 18
8. Red flags 25
9. Conclusion 26
10. References and further reading 27
11. Appendix 1: Possible/potential questions to ask 30

Notes

It is recognised that care may be provided by registered nurses and midwives, health care support workers, assistant practitioners, nursing associates, student nurses and midwives, and trainee nursing associates. For ease of reading, the generic terms 'nurse', 'nursing' and 'nurses' are used throughout this document, unless specified.

The RCN recognises and embraces our gender diverse society and encourages this guideline to be used by and/or applied to people who identify as non-binary, transgender, or gender fluid.

The RCN also recognises that not all those born female or male will identify with the same gender nouns, but for ease of reading we use the term woman/man/men and where appropriate, acknowledge non-binary terms.

1. Introduction

The RCN Women's Health Forum has a well-recognised reputation for producing

2. How to use this resource

This guide aims to help nurses who see women navigate the symptoms they have to try and find a cause or diagnosis. It is not a comprehensive guide to diagnosis and treatment and should be used as initial signposting only. It is also not an exhaustive guide to conditions but covers some of the most common ones. If in doubt, or if the symptoms do not fit or are “red flags”, onward referral is always indicated.

It may also be used by women to make sense of the symptoms they are experiencing, which may help with a more meaningful consultation with health care providers.

The publication has been divided into sections as follows:

- Questions for history taking
- A woman’s life course
- Symptoms and conditions by age throughout the life course
- Screening and women’s health
- Symptom analysis grid for more common symptoms and conditions
- Red flags
- References and further reading
- Appendix 1 : Questions to ask.

3. Questions for history taking

When talking to women and taking a history, it is important to cover the basics. Normally starting with an open-ended question about why the woman is attending an appointment will prompt information that can then be explored. Then, depending on the answers or presenting complaints, specific questions may be needed. When looking at history taking it is important to establish a pattern for carrying this out, including being comfortable with the questions and the terminology, and being aware of what to do with any information that is given. It is particularly important to pay attention to the fact that women may use different terminology for issues, conditions and body parts. All nurses undertaking history taking should receive training in how to take a good history. The following is a useful example: geekymedics.com/category/communication-skills/history-taking

Appendix 1 provides questions which may help with considering relevant conditions.

4. A woman's life course

There are three key stages in a woman's life course, although we recognise that many health issues may be present in several life stages.

A woman's life course reproduced with kind permission from Royal College of Obstetricians and Gynaecologists.

The middle years

In addition to the ongoing need for contraception and healthy lifestyle advice, many women require specific help to manage menstrual disorders such as heavy bleeding and pelvic pain.

The lessons learnt from a woman's response to being pregnant will have an influence on her health in later life. It is crucial that all women undergo a health check following pregnancy to ensure that future pregnancy complications and preventable health problems in later life are avoided. For example, recognising the risk of stress urinary incontinence and pelvic floor dysfunction related to pregnancy and childbirth should be considered.

Between the age of 25 and the menopause, menstrual health, contraception and fertility may be the main focus of women's health. It is an ideal time to reiterate and ensure women understand what's normal and when to seek help. There were 605,470 live births in England and Wales in 2022 (Office of National Statistics, 2024), which is a 3% decrease on previous years. In 2018 the average age of a woman seeking fertility treatment was 36 years. It is well known that female fertility decreases with age (HFEA, 2023). This decline in fertility also means different types of contraception may be more suitable for women toward the end of their reproductive years. Sensitivity is important when asking women about their future plans around starting or growing a family. In 2021, there were 214,689 abortions for women resident in England and Wales; the highest figure since the Abortion Act was introduced in 1967 (Office of National Statistics, 2020). Nurses have an important role to play in optimising access to contraception and increasing women's knowledge around the availability of emergency contraception.

Nurses also have a vital role to play in educating women about screening opportunities and what is abnormal and requires further investigation. Each year in the UK, around 22,050 women and people with gyanaecalogical organs are diagnosed with one of the five gyanecological cancers (womb, ovarian, cervical, vulval and vaginal) (The Eve Appeal) (eveappeal.org.uk/gynaecological-cancers) and in 2019 there were 77,814 cancer deaths in women (cancerresearchuk.org/health-professional/cancer-statistics/mortality). Cervical screening saves lives, with women being invited for their first cervical screening test just before their 25th birthday. Asking women about their menstrual health and any abnormal bleeding will increase the opportunity for education and aid early diagnosis.

Table 1 below outlines some of the symptoms and conditions that a woman may have over the course of her lifespan. Some conditions and symptoms will cross the 3 groups, defined in the life course model on page 6 . They are grouped by age and the associated text can be found in the relevant section below. Some of them can be present from a young age right through to the menopause and beyond, such as vaginal bleeding, however the significance and the importance attached to it will vary, for example, vaginal bleeding is a "red flag" in the postmenopausal women but expected in other age groups.

BACK TO CONTENTS

6. Screening and women's health

6.1 Screening

Throughout the whole life course there are defined screening programmes, available to women free on the NHS, including cervical and breast screening. As well as screening at set intervals, it is vital for nurses to be able to advise women at various stages of their life about what specific health issues they may need to consider and seek support with.

The screening programmes offered in the United Kingdom have been rigorously agreed by the National Screening Programme as beneficial to overall health and wellbeing. The National Screening Programme information covers all of the UK: gov.uk/government/organisations/uk-national-screening-committee

Screening is always a choice. A woman can choose which tests are right for them, provided all the necessary information about benefits and risks have been provided in a language and format that is understandable. During their lifetime people will be invited for a number of screening tests including diabetic retinopathy from the age of 12 and bowel screening from the age of 60. It is important to note that only those registered with a general practice (GP) as a woman will be invited for cervical and breast screening, which may exclude a number of women and people who are not registered with a GP, or who were assigned female at birth but are registered as a different gender. It is important to consider this when caring for women who are not registered, 'seldom seen' or

Cervical Screening

The health and wellbeing of women is critical to the wellbeing of society, and the growing body of evidence supports the knowledge that many women suffer poorer health outcomes because of their status in society. The RCN supports any moves to recognise the injustice caused to women and girls, simply by virtue of their gender and roles they assume in the community.

Contraception and sexual health

Across all stages of the life course, a women's need for contraception and sexual health services will change. Nurses should be familiar with the options available, for example, free chlamydia home testing for under 25s, at each stage and be able to signpost women to seek confidential advice.

It is important that nurses are aware that women's needs for contraception and sexual health may vary across their life course. For example, HRT does not provide contraception so perimenopausal women should also be advised about contraception. All those at risk of sexually transmitted infections should be encouraged to use condoms and offered sexual health screening, regardless of their age.

Information on access to contraception:

There are easy read patient informion leaflets and webpages which have been developed for people with learning disabilities including:

Further advice can be found here:

RCN (2020) Fair Care for Trans and Non-binary People

Faculty of Sexual and Reproductive Healthcare (FSRH) CEU Statement (October 2017): Contraceptive Choices and Sexual Health for Transgender and Non-Binary People : fsrh.org/Public/Documents/fsrh-ceu-statement-contraceptive-choices-and-sexual-health-for-non-binary-people.aspx

Cervical screening for trans men and/or non-binary people from Jo's Cervical Cancer Trust: jostrust.org.uk

In 2021 (updated 2022), the Care Quality Commission (CQC) published guidance on Adult trans care pathway: What CQC expects from maternity and gynaecology services : cqc.org.uk/guidance-providers/healthcare/adult-trans-care-pathway-what-cqc-expects-maternity-gynaecology-0

Safeguarding

"Safeguarding means protecting a citizen's health, wellbeing and human rights, enabling them to live free from harm, abuse and neglect" (NHS England, 2021). Some women, such as those with learning disabilities or young people, may be more at risk.

The NHS safeguarding app has resources and information on how to get advice and raise concerns. NHS England safeguarding app: england.nhs.uk

Further resources on safeguarding, domestic abuse, modern slavery and female genital mutilation can be found here: rcnlearn.rcn.org.uk

7. Symptom analysis grid for more common symptoms and conditions

This section is divided into:

7a. Symptom analysis grid

7b. Key conditions

7c. Pelvic floor dysfunction

The following are some of the most common symptoms and conditions that women can present with.

This is not a complete list, it is a guide to help signpost with information or onward referral.

7a. Symptom analysis grid

Symptom/ condition	Endometrial hyperplasia	Fibroids	Endometriosis	Adenomyosis	Polycystic ovarian syndrome	Cancer (see red flags chart)	Premenstrual syndrome/ Premenstrual dysphoric disorder	Polyps – endometrial and cervical	Ovarian cysts	Sexually transmitted infections/ pelvic inflammatory disease	Premature ovarian failure	Imperforate hymen	Pregnancy	Vaginismus	Perimenopause	Post menopause	Pelvic organ prolapse
Amenorrhoea – primary					x						x	x	x				
Amenorrhoea – secondary					x						x		x		x	x	
Heavy menstrual bleeding	x	x	x	x		x		x									
Persistent irregular bleeding	x	x		?	x	x		x		x	x				x		
Intermenstrual bleeding	x	x			x	x		x		x					x		
Post coital bleeding	x	x			x	x		x		x							
Vaginal discharge	x	x				x		x		x							
Dyspareunia		x	x	x					x	x							
Dysuria		x	x	x					x	x							
Hot flushes, night sweats, vaginal dryness											x		x	x			
Stress incontinence		x															x
Vaginal dryness											x				x	x	
Bowel changes		x	x			x											x
Ongoing fatigue						x	x				x				x	x	
Mood changes							x				x				x	x	
Cyclical mood changes							x										

BACK TO CONTENTS

Pelvic Pain Support Network: pelvicpain.org.uk

Polycystic ovary syndrome (PCOS) : Polycystic ovaries (PCO) are typically larger than normal and have a higher number of follicles. Women with polycystic ovaries may have other symptoms that lead to a diagnosis of PCOS – an endocrine condition that can lead to infertility and long-term health problems.

A diagnosis can be made when women have any two symptoms:

- menstrual changes – infrequent or no periods
-

Women's health pocket guide, pages 29 and 30: rcn.org.uk/Professional-Development/publications/womens-health-pocket-guide-uk-pub-010-898

Sexually transmitted infections : Infections that are spread from one individual to another through unprotected sexual intercourse. This can be vaginal, anal, oral or through genital contact or sharing sex toys. Women's health pocket guide, pages 55 to 57: rcn.org.uk/Professional-Development/publications/womens-health-pocket-guide-uk-pub-010-898

Polyps : Polyps may be found in the cervix or endometrium. Cervical polyps are common and the exact cause is unknown. It is recommended that they are removed and sent for histology. Endometrial polyps are commonly diagnosed on ultrasound; they are dense fibrous tissue with blood vessels and glands lined with endometrial epithelium. A hysteroscopy is usually recommended for further assessment.

Women's health pocket guide, pages 18 and 19: rcn.org.uk/Professional-Development/publications/womens-health-pocket-guide-uk-pub-010-898

Menstrual health wellbeing, pages 15 and 16:

Many people tolerate and normalise severe pain before being diagnosed with conditions such as endometriosis. If pain is severe/limiting activities they need to be encouraged to seek help.

RCN (2023), pages 5 and 6: rcn.org.uk/Professional-Development/publications/womens-health-pocket-guide-uk-pub-010-898

RCN (2023), pages 11 and 12: rcn.org.uk/Professional-Development/publications/womens-health-pocket-guide-uk-pub-010-898

RCN (2023), pages 21 and 22: rcn.org.uk/Professional-Development/publications/womens-health-pocket-guide-uk-pub-010-898

NICE (2021) Algorithm on heavy bleeding: nice.org.uk/guidance/ng88

Vaginismus

IS where t Va

Bladder symptoms				
	Stress incontinence	Overactive bladder	Voiding difficulties	Urinary tract infections
Increased urinary frequency: voiding occurs more frequently than deemed normal by the individual (or caregivers). Time of day and number of voids are not specified.		x		x
Urgency		x	x	x
Urgency incontinence		x		x
Nocturia (>1 a night)		x		x
Leakage with cough and sneezing	x			
Urinary leakage	x	x		
Dysuria				x
Incomplete emptying			x	

Pelvic organ prolapse				
	Cystocele (anterior wall)	Rectocele (posterior wall)	Vault	Uterine
Backache	x	x	x	x
Incomplete emptying – bladder	x		x	x
Incomplete emptying – bowel		x		
Heaviness/dragging	x	x	x	x
Urinary urgency	x			x
Urinary incontinence	x			x
Protrusion out of vagina	x	x	x	x

Bowel Symptoms			
	Constipation	Faecal incontinence	Rectocele
Incomplete emptying	x		x
Unable to open bowels (three a week to three a day is normal)	x		x
Wind/flatulence	x		
Diarrhoea	x	x	

“Red flag” is a term used to relate to signs or symptoms that give cause for concern, as they indicate an underlying risk of a condition requiring urgent investigation or treatment. Patients should be asked if they have experienced any of these red flag symptoms during routine assessment and if they have, appropriate investigation should be carried out.

The chart below highlights common red flag symptoms in women’s health over the lifespan, and indicates what these might signal. The list is not exhaustive and is intended to act as a guide to be alert to symptoms that need immediate action in line with local referral pathways.

Royal College of Nursing (2023) Women's Health Pocket Guides. Available at: www.rcn.org.uk/Professional-Development/publications/womens-health-pocket-guide-uk-pub-010-898

Royal College of Nursing (2023) Menopause: RCN guidance for nurses, midwives and health visitors . Available at: www.rcn.org.uk/Professional-Development/publications/rcn-menopause-guidance-for-nurses-midwives-and-health-visitors-uk-pub-009326

Royal College of Nursing (2020) Menopause and Work: Guidance for RCN Representatives. Available at: www.rcn.org.uk/professional-development/publications/rcn-menopause-and-work-uk-pub-009327

Royal College of Nursing (2024) Women's Health. Available at: www.rcn.org.uk/clinical-topics/womens-health

Royal College of Nursing (2020) Fertility Care and Emotional Wellbeing: RCN Guidance . Available at: rcn.org.uk/professional-development/publications/pub-007770

Royal College of Nursing (2024) RCN position on support for women's reproductive health in the workplace. Available at:

Useful links

Endometriosis UK endometriosis-uk.org

International Association for Premenstrual Disorders (IAPMD) iapmd.org

National Association for Premenstrual Syndromes (NAPS) pms.org.uk

RCN Fertilg

Appendix 1: Possible/potential questions to ask

Many women have different vocabulary to describe their vaginas, vulvas or other body parts. Some cultures have very different terminology, and so it is important to frame questions to ensure the person understands the question being posed. This list is an indicative list only and is not exhaustive; practitioners are reminded to look at all aspects of the patient's wellbeing.

Equally, not all women know what penetrative intercourse means, for example some infertility is because of not having penetrative sex and, as always, sensitivity and attention to the needs of the individual is always important when taking an effective history of issues/symptoms.

QUESTIONS	COMMENTS
Periods/bleeding	
At what age did you start your periods?	If 16+ and none investigate
Are your periods regular and predictable?	
When was the first day of your last period?	
How many days from your first day of your period to your next period?	
How many days do you normally bleed each month?	If five plus each month may be abnormal
Is your bleeding heavier or more painful than normal?	Investigate
Are you using tampons or towels or menstrual cups or period pads or a combination? How many do you use a day? Do you sometimes have to use pads and tampons? Do you ever bleed through onto your sheets?	
Have you been passing clots bigger than a 10 pence coin?	
Have you been flooding or gushing through your clothes/bedsheets?	Investigate
How are your heavy periods affecting your daily life?	Investigate
Do you have any bleeding between your periods?	Investigate
Do you have any bleeding after intercourse?	Investigate
Is there a family history of bleeding disorders in your family?	
Are you taking any medication that may increase your tendency to bleed?	
Pregnancy and fertility	
Have you ever been pregnant?	
How many pregnancies have you had?	
How many children do you have?	
How were the pregnancies and the births?	
Are you considering having children/more children in the future?	
Are you using any contraception?	

QUESTIONS	COMMENTS
Vaginal discharge questions	
Any changes in the amount of vaginal discharge?	Check no change in partners or contraception
Any changes to the colour of the discharge?	
Has your discharge become more watery or thickened recently?	
Any changes in the smell of the vaginal discharge?	
Have you been feeling feverish?	Investigate
Vulval health/vaginitis/vaginal atrophy	
Does your vagina feel sore? Is it dry or itchy?	
Do you have any problems with lubrication when you have sex?	
Do you have any problems with sex?	
Symptoms of menopause/side effects from treatment of menopause symptoms	
Are your periods regular?	
Have you noticed any changes with your periods? Are they irregular/ have they become heavier?	
Have you had any hot flushes or night sweats?	
How is your mood? Have you become more tearful or irritable or noticed any other changes?	
Have you noticed any vaginal dryness or soreness? Is sex comfortable?	
Any changes in sex drive? Has it decreased?	
Have you noticed any joint pain?	
How are you sleeping?	
Are you tired during the day? Have your energy levels been affected?	
Have you noticed any difficulty in your memory or concentration levels?	
Are your symptoms impacting on your personal life or work in any way?	
If taking HRT:	
Are you getting any bleeding while taking HRT?	If yes, investigate
Is the HRT managing your symptoms effectively?	
Do you have any breast tenderness?	
Have you got any nausea?	
Have you experienced any changes to headaches or migraines since starting HRT?	

RCN quality assurance

Publication

This is an RCN practice guidance. Practice guidance are evidence-based consensus documents, used to guide decisions about appropriate care of an individual, family or

The RCN represents nurses and nursing, promotes excellence in practice and shapes health policies

RCN Direct
www.rcn.org.uk/direct
0345 772 6100

Published by the Royal College of Nursing
799 1.97q 1(l)0.5 (l)-10.1 (s)-11.2 (in)-7.1 (g)]TJ EMC /Span <</Lang (en-G

Royal College of Nursing